

Íííííííí, íííííííí, íííííííí s6: 1050W

íííííííí: 230V

íííííííí, íííííííí:

íííííííí, íííííííí íííííííí íííííííí íííííííí: 40/50/75/100 mm

íííííííí, íííííííí íííííííí íííííííí: 1000mm

íííííííííííííí, íííííííí íííííííí: 305mm

íííííííí, íííííííí, íííííííí íííííííí: 600-860x400mm

íííííííí, íííííííííííííí, íííííííí: 0°-45°

íííííííííííííí, íííííííí, íííííííí íííííííí:

íííííííííííííí, íííííííí íííííííí, íííííííí: 90°: 165mm

íííííííííííííí, íííííííí íííííííí, íííííííí, íííííííí íííííííííííííííí íííííííí íííííííí: 300mm

íííííííííííííí íííííííí íííííííí íííííííí íííííííí íííííííí íííííííí:

íííííííí, íííííííí, íííííííí íííííííí íííííííí íííííííí: 6-15mm

íííííííííííííí, íííííííí, íííííííí íííííííí íííííííí: 315mm

íííííííííííííí, íííííííí íííííííí íííííííí íííííííí: 2240mm

íííííííí:

íííííííí, íííííííí íííííííí: 83kg

íííííííí íííííííí íííííííí: 78kg

íííííííí... íííííííí... íííííííí:

íííííííí íííííííí: 1.100mm

íííííííí, íííííííí: 500mm

íííííííí: 400mm

íííííííí íííííííí, íííííííí: 9120039901169

highlights:

- cast iron work table with precisely polished and smoothed surface, with frontside tilt
- from 0° to 45°
- die cast aluminium blade wheels with rubber coating ensure smooth run and long life
- span of blades
- saw blade width from 6mm to 15mm
- 2 blade speeds enable processing of various material types
- included in delivery: saw blade, base frame, and rip fence included in delivery

technical details:

motor data:

motor power s1: 750

motor power s6: 1050

voltage: 230V

measurements:

suction port in mm: 40/50/75/100

table height in mm: 1000

outreach in mm: 305

table size in mm: 600-860x400

swivel range: 0°-45°

cutting performance:

max. cutting height 90° in mm: 165

max. cutting width at parallel fence in mm: 300

band saws:

saw band width in mm: 6-15

band wheel diameter in mm: 315

saw band in mm: 2240

weight:

gross weight in kg: 83

net weight in kg: 78

packaging:

length in mm: 1.100
width in mm: 500
height in mm: 400
general data:
EAN code: 9120039901169





Â

Â

Â

Â

[î£î.îçî'î±îµîî± î î•îçî¼îî.îµî...î.î©](#)